



BlueSoleil™

5.2.220.0

Release Note

Apr 11th, 2008

IVT CORPORATION

5/F, Fa Zhan Plaza
No. 12, Shang Di Xin Xi Zhong Road,
Hai Dian District,
Beijing, 100085,
P. R. China

Tel: +86 10 82898225

Fax: +86 10 62963059

www.ivtcorporation.com

www.bluesoleil.com

support@bluesoleil.com

1 Introduction

This document describes IVT BlueSoleil version 5.2.220.0

2 Target Platform

- CPU: 600MHz or above
- RAM: 128M or above
- Screen: 800*600 or above
- Display: Adapter True Color 16bits or above
- OS: Windows2000, Windows XP, Windows Vista
- Languages supported: English, Simplified Chinese, Traditional Chinese, German, Polish, Russian, Spanish, Japanese, Korean, Norwegian, Portuguese, Swedish, Italian, French, Danish, Dutch, and Finnish.

3 Release Functionality

3.1 Bluetooth Functionality

The software was written against version 2.0+EDR of the Bluetooth Core Specification [1] and Bluetooth Profile Specification [2].

The release provides:

Bluetooth Profile		Client/connections	Server/connections
PAN	Personal Area Networking Roles: Group Network/PAN User	v, 1	v, 1+
SPP	Serial Port: Roles: Device A/Device B	v, 1+	v, 1
DUN	Dial-Up Networking Roles: Data Terminal	v, 1+	N/A
HID	Human Interface Device Roles: Host	v, 1+	N/A
OPP	Object Push Roles: Client/Server	v, 1	v, 1
FTP	File Transfer Roles: Client/Server	v, 1	v, 1
FAX	FAX Roles: Data Terminal	v, 1	N/A
Headset	Headset Roles: Audio Gateway	v, 1	v, 1
Handsfree	Handsfree Roles: Audio Gateway	v, 1	v, 1

A2DP	Advanced audio distribution profile Roles: Source & Sink	v, 1	v, 1
AVRCP	Audio/video remote control profile Roles: target	v, 1	v, 1
HCRP	Hardcopy Cable Replacement Roles: Client	v, 1	N/A
BIP	Basic Imaging Service Roles: Image Push(Imaging Responder)	v, 1	v, 1

Note:

1. "1" means there can be only 1 connection at the same time. "1+" means there can be more than 1 connection at the same time.
2. "N/A" means it will not be supported.

And:

- Supports Bluetooth 2.0+EDR&2.1+EDR
- Standard operating modes: page, inquiry, page-scan and inquiry-scan
- Standard USB (v1.1/2.0)
- All standard pairing, authentication, link key and encryption operations
- Master/Slave switch. This allows a device to connect itself to an established piconet

3.2 Installation

Before installation:

1. Uninstall the earlier version of BlueSoleil you installed on your computer: Click Start -> Control Panel to open Control Panel, and then choose Uninstall a program. Select BlueSoleil in the program list and uninstall it.
2. Bluetooth adapter can be remained plugged or unplugged when installation.
3. Users must log on as administrators to install BlueSoleil.
4. BlueSoleil can only be removed from Control Panel.

Installation steps:

- Double-click setup.exe to start installation.
- Choose the setup language.
- Follow the instructions on the screen.
- Restart your computer.

Note: With regard to the installation command line, please refer to setup.ini in the installation folder for detailed instructions.

3.3 Extra Functionality

The build extends the standard Bluetooth functionality with the following features:

- Open APIs for 3rdpart.
- "Send to" function. Right -click a selected file in explorer, to send the file to other Bluetooth devices via the "Send to" popup menu.
- "Send by Bluetooth" and "set as default" functions in Microsoft Outlook.

- “Create desktop shortcut “function. You can create shortcuts for devices and services on the desktop by right-clicking the device or service icon. The shortcut can also be created by dragging a device or a service icon and dropping to desktop.
- SPP , DUN and FAX auto connection function.
- Connects to an RFCOMM-based service with 128bits-GUID on a remote device.
- Optimized Role switch policy for various Bluetooth devices to maximize the possibility of success in creating connections.
- Dual Graphical User Interfaces for Bluetooth, Classical BlueSoleil GUI and Windows Explorer GUI
- Supports UART Devices.

3.4 Functional Restrictions

The following major functional restrictions apply to this release:

- For PAN and Headset profile, BlueSoleil cannot act as client and server at the same time.
- Supported media player by default for AVRCP
 - (1) Windows Media Player version 6.4, 7, 8, 9, 10.
 - (2) WinAmp 2.7, 2.8, 3.0.
 - (3) Realone 6.0.x (Fully tested with 6.0.11.864)
 - (4) iTunes Version 6.0.2 and above.

Further extension to support other media players is possible by implementing BlueSoleil standard AVRCP interfaces. (If you are interested in doing this, please contact IVT.)

3.5 Known Issues

No	
1	Files which are named in multi-byte character set cannot be transferred between different character sets OS, such as between an English Version Windows and a Chinese one, via Bluetooth File Transfer profile. Solution: Change the file name into English.
2	The speed of transferring files via PAN profile in Windows Vista is slow sometimes. If users cancel the file transfer procedure, the Windows Explorer restarts occasionally.
3	When connecting to some cellular phone, BlueSoleil could not set up connection successfully sometimes. For example , some model of Motorola V3. In this condition, you need to pair with the phone first, and then connect with it.
4	On windows XP system, Enter “Bluetooth Places ” window. When you view device icon by titles type, if you double click some device icon or refresh continually, the windows Explorer restarts occasionally.
5	When a connection exist with a headset, unplug the dongle, Bluetooth status will be wrong occasionally.

3.6 History

The following significant changes have been made to BlueSoleil 5.2.220.0 Release since it is BlueSoleil 5.2.219.0 Release:

- Don’t change the file name of Microsoft Bluetooth driver from bth.inf to bth.ini after installed BlueSoleil.

- Fix bug: OPP file transfer based on Btfunc API: If a transfer failed, the OPP connection cannot be disconnected

The following significant changes have been made to BlueSoleil5.2.219.0 Release since it is BlueSoleil 5.2.1.217 Release:

- Modify BlueSoleil version Number from X.X.X.XXX to X.XXXX.X
- Implement the function of adding local SPP service automatically.
- Fix bug: When connecting A2DP service with one ISSC headset, the music cannot be played normally.
- Fix bug: The sound would be stopped when playing the audio file a few minutes after connected A2DP service with a Samsung headset.
- Fix bug: Remote BlueSoleil5.x service cannot be found with ISSC hardware based on version 2.1.
- Fix bug: If there was a connection between a remote client and BlueSoleil5.x based on Broadcom 2.0 Dongle, attempts to establish another connection from other remote clients cannot be successful.
- Add an option to configure whether it will pop up the dialer dialog or not.

The following significant changes have been made to BlueSoleil5.2.1.217 Release since it is BlueSoleil 5.2.0.216 Release:

- Add Japanese and Traditional Chinese resource.

The following significant changes have been made to BlueSoleil5.2.0.216 Release since it is BlueSoleil 5.2.0.213 Release:

- Add auto reconnect function and a key in setup.ini to configure it.
- Get and set the local device class according to the value of stack.
- Fix bug: Audio card cannot be switched on Vista.
- Fix bug: Disable a local service on BSUI windows, and then click the other icon. Once again the local service icon is clicked, the service function is unavailable.
- Fix bug: The connection cannot be disconnected when unplugging the HID on BSUI windows.
- Fix bug: If SPP service is started without first installation of the serial port of remote device, the program does not respond to the operation.

The following significant changes have been made to BlueSoleil5.2.0.213 Release since it is BlueSoleil 5.2.0.210 Release:

- Fixed bug: The dialog of about was not displayed completely in Japanese version.

The following significant changes have been made to BlueSoleil5.2.0.210 Release since it is BlueSoleil 5.1.0.193 Release:

- The drivers can be plugged and unplugged dynamically.
- Fix bug: Select OPP card files, Bttray.exe crashes sometimes.
- Fix bug: Disconnect AVRCP connection; other connections would be disconnected.
- Fix bug: Can't transfer files those size more than 1M through BPP profile.
- Fix bug: Audio card can't be switched automatically on UMPC.
- Fix bug: Can't create shortcut to desktop on Windows 2000.
- Fix bug: It is unable to support USB selective suspend.

- Fix bug: CPU can't enter into C3 Model problem.

The following significant changes have been made to BlueSoleil5.1.0.193 Release since it is BlueSoleil 5.1.7.186 Release:

- Fix bug: The menu of device desktop shortcut cannot be used.
- Fix bug: FTP transfer instability.

The following significant changes have been made to BlueSoleil5.1.7.186 Release since it is BlueSoleil 5.1.3.186 Release:

- Add one option "IsAddShortCutToStartMenu" in the setup.ini to support the function that adds one Bluetooth places shortcut to the start menu.

The following significant changes have been made to BlueSoleil5.1.3.186 Release since it is BlueSoleil 5.1.0.186 Release:

- Fix bug: The string of "notify" displays error in Japanese version.
- Fix bug: Cannot directly open the remote music file through Media Player11 via FTP on vista system.

The following significant changes have been made to BlueSoleil5.1.0.186 Release since it is BlueSoleil 5.0.5.178Release:

- Support BIP profile, only support simply push.
- Fix bug: After OPP transferring, Device name displays gibberish in tip-info.
- Fix bug: Cannot connect Microsoft 8000 type Mouse.
- Fix bug: Network folder can not transfer through OPP or FTP.
- Fix bug: BlueSoleil 5.0 Install problem on Windows2000 (SP4).

The following significant changes have been made to BlueSoleil5.0.5.178 Release since it is BlueSoleil 5.0.2.178 Release:

- Support Network file transferring through OPP or FTP .
- Fix bug: Connect PAN successfully, but IP address can not be displayed correctly in BsUI windows.
- Fix bug: After uninstall BlueSoleil program, Microsoft Bluetooth driver can not be installed in windows vista 64bit.

The following significant changes have been made to BlueSoleil5.0.2.178 Release since it is BlueSoleil 5.0.1.178 Release:

- Fix bug: Connect one headset and record by the MIC of the headset, but the voice maybe can not be recorded correctly.

The following significant changes have been made to BlueSoleil5.0.1.178 Release since it is BlueSoleil 5.0 Build178 release

- Fix bug: If unplugged the Bluetooth dongle when OS enter S3 mode, tray icon won't disappear after OS resumed from S3 mode.
- Fix bug: It cannot be waked up by the connected HID device that supported by build166 version.
- Fix bug: Restart OS and remove the dongle, when you restarted OS, plug into the BT dongle. The BT tray icon is gone and it could not start Bluetooth, but device manager can catch the BT dongle driver.
- Fix bug: when you turn off the Bluetooth, the BT dongle power close and it can not support HID device connect BlueSoleil when OS restarted and show the log on interface.

The following significant changes have been made to BlueSoleil5.0 Build178 Release since it is build174 release:

- Fix bug: If unplugged the Bluetooth dongle when OS enter S3 mode, tray icon won't disappear after OS resumed from S3 mode.
- Fix bug: It cannot be waked up by the connected HID device that supported by build166 version.
- Support A2DP Audio Sink
- Support evaluation and online purchase
- 5MB data transfer function.
- Support control of iTunes with AVRCP.
- Fix bug: The last page cannot be printed completely.
- Fix bug: A2DP or SCO connection prevents resume from S3/S4.
- Fix bug: AVRCP cannot control foobar2000, Media Player Classic 6.4.8.9.
- Fix bug: After unplug dongle, the icons of local services cannot be shown on BSUI.
- Fix bug: After print successfully, an error message pops up.
- Fix bug: PAN transferring speed reduced.

The following significant changes have been made to BlueSoleil5.0 Build170 Release since it is build159 release:

- Support Bluetooth core spec v.2.1+EDR
- Support 64 bit OS
- Install sound cards when firstly used, and hide sound cards after the system restarted.
- Support Multi-languages. (English, Simplified Chinese, Traditional Chinese, German, Polish, Russian, Spanish, Japanese, Korean, Norwegian, Portuguese, Swedish, Italian, French, Danish, Dutch, Finnish)
- Set Bluetooth as undiscoverable when turn off Bluetooth
- Add properties menu on the tray icon
- Fix bug: Connect BC4 5030 HID mouse failed with CSR2.1 dongle.
- Fix bug: Nintendo RVL-CNT-01 HID device cannot be shown on BSUI.
- Fix bug: Connect HID, the menu on explorer is different from which on BSUI.
- Fix bug: Connect HFP failed after re-plug dongle.
- Fix bug: Setting default headset failed.
- Fix bug: Microsoft 8000 mouse cannot work after wakeup.
- Fix bug: BlueSoleil may crash when connecting with Lanso A5+.
- Fix bug: HID service status is wrong after a mouse is unplugged
- Fix bug: If FTP/OPP file transferring process is canceled, BlueSoleil may crash.
- Fix bug: A2DP cannot work together with FTP.
- Fix bug: Pair dialog cannot pop up.
- Fix bug: OPP transfer files failed with windows mobile if it's bigger than 100k.

The following significant changes have been made to BlueSoleil5.0 Build159 Release since it is build155 release:

- Fix bug: BlueSoleil seems connecting after disconnect A2DP with a headset.
- Fix bug: Cannot pair a device when searching devices.
- Fix bug: Some HID devices cannot work on Windows Vista.
- Fix bug: Sometimes Bluetooth icon on system tray disappears.
- Fix bug: AVRCP connection is not disconnected automatically after A2DP connection is dropped.

The following significant changes have been made to BlueSoleil5.0 Build155 Release since it is build143 release:

- Support Nokia PC Suite.
- Add HCRP profile.

- Fix bug: Prompt for a system restart after BlueSoleil is uninstalled.
- Fix bug: Cannot use DUN after Bluetooth is restarted.
- Fix bug: Bttray module crashes when uninstalling BlueSoleil.
- Fix bug: BlueSoleil crashes when disconnecting A2DP.
- Fix bug: Transferring files with OPP/FTP fails on 64bit system.
- Fix bug: Cannot connect with HID devices the first time.
- Fix bug: Turning on Bluetooth fails the first time on Vista.
- Fix bug: Explorer may crash when installing printer drivers.
- Fix bug: Cannot add a new printer when using HCRP.
- Fix bug: BlueSoleil has not been added to exception list of system firewall.
- Fix bug: Hands free profile, cannot record on vista.
- Fix bug: Cannot stop searching devices in the explorer.
- Fix bug: Local device name cannot be changed.
- Fix bug: Cannot Install the DUN modem sometimes.
- Fix bug: Connect A2DP or HFP, BlueSoleil may crash sometimes.
- Fix bug: After switching user, there are two Bluetooth icons in the tray view.
- Fix bug: Add a new HCRP port, Explorer will crash
- Fix bug: When close the menu, outlook will be crashed.
- Fix bug: Explorer often crashes when deleting one or more remote devices icon.
- Fix bug: Sometimes, there are two local device icons.
- Fix bug: FTP Interoperability problem with SGH-D808.

3.7 Installation

Before installation:

5. Uninstall the earlier version of BlueSoleil you installed on your computer: Click Start -> Control Panel to open Control Panel, and then choose Uninstall a program. Select BlueSoleil in the program list and uninstall it.
6. Bluetooth adapter can be remained plugged or unplugged when installation.
7. Users must log on as administrators to install BlueSoleil.
8. BlueSoleil can only be removed from Control Panel.

Installation steps:

- Double-click setup.exe to start installation.
- Choose the setup language.
- Follow the instructions on the screen.
- Restart your computer.

Note: With regard to the installation command line, please refer to setup.ini in the installation folder for detailed instructions.

4 References

- [1]. Specification of the Bluetooth System, Core, V2.0+EDR, November 4th, 2004.
- [2]. Specification of the Bluetooth System, Profiles, date up to January 30th, 2007.

Bluetooth™ and the Bluetooth logos are trademarks owned by Bluetooth SIG Inc, USA and licensed to IVT.

BlueSoleil™ is a trademark of IVT Corporation.